CERTIFICATE OF ANALYSIS



HPL Wholesale Customer: 3017 Greene St.,

Hollywood, FL 33020

Batch #: BMPD804623

Laboratory Number: ATL-12934

Report Issue Date: 4/20/2023

Order Date: 4/11/2023

Analysis Date: 4/11/2023

Sample Description:

D8 Distillate

Unit Weight: 1g / Distillate

Extraction Technician: LL Analytical Chemist: LL

Abraham Gacaman

Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/g	%		Analyte	LOQ (mg/g)	Results mg/g	%	Z	Analyte	LOQ (mg/g)	Results mg/g	%
CBDV-A	<0.06	N/D	N/D		THCV-A	<0.06	N/D	N/D		95-ННС	<0.01	N/D	N/D
CBDV	<0.03	N/D	N/D		CBN	<0.03	N/D	N/D		СВС	<0.06	N/D	N/D
CBD-A	<0.03	N/D	N/D		D9-THC	<0.03	N/D	N/D		СВС-А	<0.03	N/D	N/D
CBG-A	<0.03	N/D	N/D	1	D8-THC	<0.03	824.03	82.40		THC-A	<0.03	N/D	N/D
CBG	<0.02	N/D	N/D	H	9R-D10-TH0	<0.02	N/D	N/D		D8-THCP	<0.01	N/D	N/D
CBD	<0.01	N/D	N/D		9S-D10-THC	<0.02	N/D	N/D		D8-THCO	<0.02	N/D	N/D
THCV	<0.01	N/D	N/D		9R-HHC	<0.01	N/D	N/D		1			
		Max	Active 7	гнс	mg/g N/D	% N/D	Total A Cannab			mg/g 824.03	% 82.40		
		Мах	Active (CBD	mg/g N/D	% N/D	Total Cannab	inoids		mg/g 824.03	% 82.40		
	1		XV		111	/	1	/ / '		1			+

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN). Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9S-D10-THC Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO)

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



